chituma australia pty ltd

# **COLT** series V

# OWNERS MANUAL





chituma australia pty ltd

3/6 KLAUER ST SEAFORD VICTORIA 3198

Phone: 61 03 97863982 Fax: 61 03 97852347 E-mail:ebike@optusnet.com.au

#### Page 2

THANK YOU FOR CHOOSING OUR ELECTRIC ASSISTED BICYCLE OUR EBIKE CAN BE OPERATED VERY EASILY.IT CAN BE OPERATED BY THE MOTOR ALONE OR BY PEDALING ALONE OR A COMBINATION OF BOTH AT THE SAME TIME.IN ORDER TO GIVE YOU A LONG AND SAFE USAGE PLEASE READ THE INSTRUCTIONS BEFORE USING.

SAFTEY CHECK BEFORE RIDING YOU BICYCLE

- 1.CHECK AND TIGHTEN ALL NUTS ,BOLTS, STRAPS AND FASTENERS
- 2.CHECK THAT BRAKES OPERATE CORRECTLY
- 3.CHECK TYRES FOR WEAR, DAMAGE AND CORRECT PRESSURES.PRESSURES ARE USUALY WRITTEN ON TYRE WALLS.
- 4.CHECK WHEELS FOR TRUENESS
- 5.CHECK LIGHTS FOR OPERATION AND ADJUSTMENT
- 6.CHECK AUDIABLE WARNING DEVICE [BELL OR HORN

7.CHECK HANDLE BARS AND SEAT MAKING SURE THEY ARE CORRECTLY ALIGHNED AND CANT TWIST OR TURN

ALWAYS WEAR AN APPROVED BICYCLE HELMET AND OBEY THE ROAD RULES

#### A COMPLEMENTORY FREE SERVICE IS AVAILABLE WITHIN 30 DAYS OF PURCHASE

FIRST SERVICE DUE 21/09/2015 RING PRIOR TO BOOK IN				
COMPLETED/				
3 MONTH SERVICE DUE//				
6 MONTH SERVICE DUE//				
9 MONTH SERVICE DUE//				
12 MONTH SERVICE DUE//				
SERVICE DUE/				

### ASSEMBLY FULL INSTRUCIONS IN ASSY MAN

IF YOU BICYCLE COMES IN A BOX IT MAY NEED SOME MINOR ASSEMBLEY SUCH AS ATTACHING FRONT WHEEL, PEDALS, MIRRORS, BASKETS AND ALIGNING SEATS AND HANDLE BARS. YOU SHOULD ALWAYS USE AND CONSULT A QUALIFIED BICYCLE MECHANIC TO DO THIS.

IF IT COMES FULLY ASSEMBLED CHECK ALL FASTENINGS AND FITTINGS FOR TIGHTNESS AND ALIGHNMENT, ONCE AGAIN USE AND CONSULT A QUALIFIED BICYCLE MECHANIC.

FRONT WHEEL SHOULD BE ATTACHED AFTER FIRST FITTING BRAKE ASSEMBLY INSIDE HUB

#### **OPERATING INSTRUCTIONS**

ALWAYS TURN ON THE POWER VIA THE KEY EVEN IF YOU ONLY INTEND TO PEDAL MANUALLY.

ALWAYS TURN ON THE LIGHTS IF RIDING AT NIGHT.

ALWAYS WEAR AN APROVED HELMET AND OBEY ALL ROAD RULES YOU CAN EITHER MOVE OFF BY PEDALING OR BY GRADUALLY AND SMOOTHLY ROTATING THE THROTTLE GRIP ON THE RIGHT HANDLEBAR.THE MORE YOU ROTATE THE FASTER YOU CAN GO.IF YOU HOLD BRAKE LEVER NO POWER WILL BE TRANSMITTED TO THE MOTOR.

The instrument panel shows speed ,distance and battery volts as well as indicator and hlamp warning lamps






#### **BRAKE ADJUSTMENT**

FRONT BRAKES ARE ADJUSTED BY ROTATING THE NUT ON CABLE END ROD UNTILL THE WHEEL JUST BINDS AND BACKING OFF 1 TO1 1/2 TURNS THEN APPLY BRAKES SEVERAL TIMES AND RECHECK AND RE ADJUST IF NEEDED





turn screw
while slowly
rotating
wheel untill
brake just
rubs then
unscrew
untill
rubbing
stops.
proceed to
next pic



loosend 10mm nut push lever forward and pull cable through then retighten nut

REMEMBER CHECK BRAKE OPERATION EVERY TIME BEFORE RIDING AND INSPECT CABLES AND PADS ETC AT LEAST ONCE EVERY MONTH

4

9

#### **SPECIFICATIONS**

MODEL SORRENTO LS SERIES III

MOTOR TYPE BRUSHLESS HI TORQUE HUB MOTOR

POWER 200WATT

BATTERY 48VOLT [4 X 12V 14AH IN SERIES]

RECHARGE TIMES 300 TO 400 TIMES

RECHARGE PERIOD 3-8 HRS DEPENDING ON USAGE

RANGE <40-50KLMS WITH INTELLIGENT ASSISTANCE

SPEED <25-30KPH

WHEELS 18in

TYRES 18in X 2.50in PNUEMATIC WITH TUBES

WEIGHT 45KGS LOAD 110KGS

#### PERIODIC MAINTENANCE

ITEM 5	500klms	1000klms	2000klms	3000klms
BRAKES	Α	I	Α	<u> </u>
ALL CABLES	L	1	L	<u> </u>
CHAIN	LI	I	L	<u> </u>
TYRES	I	l	1	
FRONT FORK	KS LI	1	LI	<u> </u>
PEDAL ASSY	S I	I	I	<u> </u>
ALL NUTS BOLTS				
FASTENERS	ETC I	I	I	<u> </u>

A = ADJUST L= LUBRICATE I = INSPECT FOR WEAR, TIGHTNESS AND CONDITION PLEASE NOTE THE ABOVE MAINTENANCE IS A SUGGESTED MINIMUMN AND IS NOT IN PLACE OF DAILY SAFTEY CHECKS PRIOR TO RIDING

#### CHARGING BATTERIES

ALWAYS ONLY USE THE CHARGER SUPPLIED DO NOT USE AUTOMOTIVE TYPE TRICKLE CHARGERS AS OVER HEATING, DAMAGE AND POSSIBLE EXPLOSION CAN OCCUR NEVER ALLOW CHARGER TO BE WET .ALWAYS USE UNDERCOVER AND IN WELL VENTILLATED AREAS

ALWAYS CONNECT CHARGER TO BICYCLE BEFORE PLUGGING IN TO POWER OUTLET ALWAYS SWITCH OFF AND UNPLUG FROM POWER OUTLET BEFORE UNPLUGGING FROM BICYCLE

NEVER LEAVE ON FOR OVER 24HRS

8

STATUS LIGHT ON CHARGER WILL CHANGE TO GREEN WHEN BATTERY IS FULLY CHARGED IF THIS TAKES MORE THAN 24HRS DISCONNECT AND CONSULT SUPPLIER

#### **SWITCHES**





CHARGE POINT AND FUSE FOUND UNDER SEAT AREA

#### CHARGING BATTERIES

ALWAYS ONLY USE THE CHARGER SUPPLIED DO NOT USE AUTOMOTIVE TYPE TRICKLE CHARGERS AS OVER HEATING, DAMAGE AND POSSIBLE EXPLOSION CAN OCCUR NEVER ALLOW CHARGER TO BE WET .ALWAYS USE UNDERCOVER AND IN WELL VENTILLATED AREAS

ALWAYS CONNECT CHARGER TO BICYCLE BEFORE PLUGGING IN TO POWER OUTLET ALWAYS SWITCH OFF AND UNPLUG FROM POWER OUTLET BEFORE UNPLUGGING FROM BICYCLE

**NEVER LEAVE ON FOR OVER 24HRS** 

STATUS LIGHT ON CHARGER WILL CHANGE TO GREEN WHEN BATTERY IS FULLY CHARGED IF THIS TAKES MORE THAN 24HRS DISCONNECT AND CONSULT SUPPLIER

## **ALARM SYSTEMS**

THE ALARM SYSTEM ON YOUR SORRENTO LS series.

THE ALARM IS REMOTE CONTROL WITH A REAR WHEEL IMMOBILIZER.WHEN SET ANY ATTEMPT TO MOVE THE BIKE WILL RESULT IN SIREN SOUNDING AND THE REAR WHEEL BEING ELECTRONICALLY LOCKED.



- 1. ALARM ON
- 2. ALARM OFF
- 3. PANIC ALARM
- 4. PRESS QUICKLY TWICE FOR KEYLESS START Press either alarm on or off to switch off keyless start

## **KEYS**

ON/OFF, SEAT AND FRONT COMPARTMENT KEY

REAR BRAKE LOCK KEY WITH LIGHT





7

6